

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Minchen Aug 1869 Mot. Naturae Cersios. vol 1X - (1752) append. pr 172 - 208 - tal 10-13 I. Phil Breynii descriptio fructio Cerei America. mejoris articulati, flore maximo_ norta se apericula suavissiume obsem spirante (Cer. grandiflorus) The plant often flowered, but never product fuit Sometim, 2 - 4 flowing opening on the Jane evining over seen in with a flowing open -July 27 1748, brought paid sipe 11 months afterwards. _ frid 2 inches long, 1 - Samueles spellowish flesh rolow, talenalated, on each talende a buch of world hair - note of flow tedhen by Juliof black shiring seed in which pulp some of the already generating in the poly Follows a long description by Christ. Jar. Trew Jute Murabay Lan. 17.52 with many observations of figures. of Com grandifler - other. He shows efigurent. XI.f. 2 That the acrice not, com from the grovers 503 C W also: the funite are bruncher: XII.f. 4 at preg:196 ropia filorum ramosorum globuli, [onilo] omustonen

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


MISSOURI

BOTANICAL

GARDEN


At faith that what he calls stamina serundiordinis oviri ex Tubi lateribus ita ut illa ad unum pollirem supra ovarium t. XI. J. 10 E.B., et suos pollères infor conlle segmente, ca, distingui potuevint stamme primi ordinis [The Corona] al corollae segmentorum ortum 29. totan taben humore viscoso melle 1 ratine. 1. 197 muguan ex selvo, sumper ex acrie costre provenit flos et quiden nomise profime super quendan spinanne ferrienden, uli quoque rami celjoi segmentore numer s 58-64 corollae vero altra 28 Styli-finbrice 17 nume places, semel 23

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN



M. ALEXANDER,


DUTH-EAST CORNER OF FOURTH AND MARKET STREETS, ST. LOUIS. ST. LOUIS.





one of the lower leaves of the plumula of fig 4 with 2 axillar hair, a.a. l'an two heirs appends inthaxil of the Conferm same as beify


2m 1860


182















M. W. ALEXANDER,


UTH-EAST CORNER OF FOURTH AND MARKET STREETS,





M. W. ALEXANDER.

UTIL-EAST CORNER OF FOURTH AND MARKET STREETS, ST. LOUIS.




Cerus grandiflomes by the Cate Mr Griever Stones 1839 1836 magnifi dere The same porcet mint woll, long hair a goverte tem en frans yellowith Thines 12 mos are the mortan Delites 7 & 12 rows of soles on fit, crossing each other, about (12 armagement) or 31 beller member of soules 130-150. tule of flow person to the Ly jarlet contracts above. Interior present 2000 1,1-1,2 lin log black smooth Thimage with ingular & Thallow ingressions or Sols MISSOURI BOTANICAL copyright reserved cm GARDEN

on the Chamithe of the vegetations of South with Texas shows of we may naturally ax feet several Different regions of Depolation product or influenced by Listitle, Longitus conformation of surprise, geologist characte of the soil, and pethops Then freezes not fo verdig appreviable. The Hostetin of the immense territory of the U.S. bears a peculian Character Distinguishing it from other regions of legalating This character on it in the prevalence of some families and more esperielly of the fin the securence of Compositue, and in the great number other, only in this of Speries of many genera, known part of the world 59. Magnolinea) ni other countries only by a glaw representative or known out among the footil remains of the Boom coal (testian) formation. Such chesnuts or Backeyes the British, Willy Histories, the mysolis & the grande, The gestilchias I Sweet gum (Ligurdand).

are Vorly for among the formile, in the destress plants examplifyis Their chante are the Atus, Soldayor, Kels then, Applepries to. But as we may maturely infers their lage territory shows Different regions of regetation, produced on inflerenced by directe information of the Jungeon geologis-el character of the sail and purhaps other causes not 10 readily appreviable. duck different are as are the north. easter Affigheiges I their slope to

the dellar- the south on her of the many of their easter tothe orean, the Topical winter of Florida

MISSOURI BOTANICAL copyright reserved cm GARDEN



BOTANICAL cm copyright reserved GARDEN

Cereius signhivelles duf Joele C, June 25 5 1860 lagt of flower Il inter ovang globore jedich dånt, Blet 130 pulmie. Vola, lywhite ourly bustless - thank 1828 tube alex & inches by Colon for int this topward widens to weary 2 inches with numerous 80 or 100 tri angelar scales bearing wood and brittles - Haris 19 julium free spread sepel, all 50-60 4" In inche I long line shorter 3" redrik, org 2 line wite 26 lette, al 25 whete of aniel and and to compaidate 3/2 joules log 15-16 Cines Grows represents petels seminent, form a capel all Le mile, The case'd new Yellow nertaniferon 1/2 in they - The for 4 reshy innumenable stances nakt space 1/4 inch, et the corona of numeron Manney, alex 3 inch long stille concenter los sailis of eque thicken the stignets exect petalon, ante, timen Goe of the places? in separate pakes MISSOURI

BOTANICAL cm copyright reserved GARDEN

Cerem nyotivally at & Sanders Ing 10 , 563. Longth of over 1 in Thickers 1" Lepal, the petals judel skruk ut men at probable s'a flore 11" East, of flow 10" Ovang globose, with all 110-120 pulorlli 26 anningert , At 10 and 16 spirals most conspicuous ovang strongly tuberralated, ariola on each Tubende bearing 4 semilerte aboleto seale Commoner 1 experiences 2 likes long (visually lenver of Operation, sand in its axil white shill to mention on the and and 1 x 4 / Still this some (4-6) slift white spines white hair Je s''les with all bo a go septe , in 10 amount 4 2 0 plainly makes so 16 mbs. sept Alle I Shirt for 3 (below) to 8-10 (Allow) the flatter oblinseilate, and, being in their axil, tometre i pur whit opines or long rouse only buttle of I will long sprand & recouns peterior sepel, zellow ind med in line salut 50-00 i number, morpouls flat or sette somme inside - 4-6 stemulate ones bronde, estita, truis truis to to feetal, petals estite oblinerable - spetalet, and 21-30 - number, fris a kir of som glober or caly x shaped rowlla. Alaka space of tale 1/4 inch, stame the 3 ing appropriate space of the stamp a comme 1/4 inches - 88 stames - corona, 22-24 the Con this anthe, Cenia 2/2 likes Cong (not 1/4 ason finkpage!) stigm. 12 linnen and

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

Lite Corus nystirallers Hort Gode Sept 1862 verg vigorous, sld fruts oblevely quachy Lar almost cylinder, young one 4 winged angles vompressed brit sarely 5 augled. old jostit





20. Cin Cercus mythinkly? gream Mov. 1858 4.048 fuil globone Monis 2 inches L'aut mille med. vore rod with ale 120/30 ones more appropries ell i 13/ annyt. all spring, 5- gellow Thing 2 - 5 Chy long long delle pro Com arcolac : 2, hb, low stiff outy havin. melly with 1 both mull pins a more approxime uppe one men rest of st Istant a with flesky soules on the ter mes pueloste upp part of the fuit myone, or with slight sulvate from the protuberous of the app public top daply umblink. Then red fun range. white pulp. Sert. 2 Buck sends sparrely e in jula 5 分活にこ MISSOURI BOTANICAL

copyright reserved

GARDEN

me for the stand on Willer Los - Some A mont graffing MISSOURI BOTANICAL copyright reserved cm GARDEN

The lose or soll vesicalose 22 31 1065 Cer, nyrtirelly at Mans How 12 rache, log. Tube 7 long with so orgo somes i 73, iaan depel 58 4 jack, log, 3 l. wide, a few outerandeting - sept sprang 10-102 26 petets langed one 15-18 lewide sprendi your neitan form makes space i bottom of Tube 15-16 lice long upper nek & spars of stamen a O Corona of Jann leagth . All 100 stances ~ Corona 14 Stogmety 16/10/18/5 2lg 5 1860 4 = " 2 3/4 3/2-4/2 MISSOURI

BOTANICAL copyright reserved cm GARDEN

